

© 2017. This manuscript version is made available under the CC-BY-NC-ND 4.0 license <http://creativecommons.org/licenses/by-nc-nd/4.0/>

Ergonomics

Elsevier Editorial System(tm) for Applied

Manuscript Draft

Manuscript Number: JERG-D-18-00457R2

Title: Nursing teamwork in the care of older people: A mixed methods study

Article Type: Full Length Article

Keywords: Teamwork, Quality of care, Nursing, Acute Care, Care of older people

Corresponding Author: Dr. Janet E Anderson, PhD

Corresponding Author's Institution: King's College London

First Author: Janet E Anderson, PhD

Order of Authors: Janet E Anderson, PhD; Naonori Kodate; Rosemary Lim; Kellie Thompson; Heidi Jensen; Katrina Cooney; Alastair Ross

Abstract: Healthcare is increasingly complex and requires the ability to adapt to changing demands. Teamwork is essential to delivering high quality care and is central to nursing. The aims of this study were to identify the processes that underpin nursing teamwork and how these affect the care of older people, identify the relationship between perceived teamwork and perceived quality of care, and explore in depth the experience of working in nursing teams. The study was carried out in three older people's wards in a London teaching hospital. Nurses and healthcare assistants completed questionnaires (n=65) on known dynamics of teamwork (using the Nursing Teamwork Survey) together with ratings of organisational quality (using an adapted AHRQ HSPS scale). A sample (n=22; 34%) was then interviewed about their perceptions of care, teamwork and how good outcomes are delivered in everyday work. Results showed that many care difficulties were routinely encountered, and confirm the importance of teamwork (e.g. shared mental models of tasks and team roles and responsibilities, supported by leadership) in adapting to challenges. Perceived quality of teamwork was positively related to perceived quality of care. Work system variability and the external environment influenced teamwork, and confirmed the importance of team adaptive capacity. The CARE model shows the centrality of teamwork in adapting to variable demand and capacity issues to deliver care processes, and the influence of broader system factors on teamworking.

1. Revised submission

1.1 Recommendation: Minor revision.

2. Comments to author

Ms. Ref. No.: JERG-D-18-00457, Revision 1

Title: Nursing teamwork in the care of older people: A mixed methods study of adaptive team processes

1. The manuscript is now much clearer and easier to follow. A majority of the recommendations are interwoven into this second version.
2. However, I still have some minor concerns. The first one is about NPM (which is a shortage for New Public Management), as this management concept very much set the agenda for how today's public welfare is organised. NPM has in other words an impact on the organisational preconditions for working in health care, not the least because NPM has its base in market like tools aiming for efficiency and results measured by quantitative data, resulting in e.g. cuts in personnel and time management. I do understand that you do not want to get deeper into NPM, but the article would benefit from mentioning it as your findings indicate aspects as challenges concerning staffing levels and that intimate knowledge about patient's needs were not valued. One suggestion is to insert a sentence or two in the introduction.

Thank you for clarifying what NPM means. As you recognise this is outside the specific focus of the study which was not designed or conducted based on NPM so we felt it better to raise in the discussion where we linked it to the results that we found. We have included the following in the sub section "Adaptive healthcare teams" -

"These work system pressures have also been highlighted in critiques of New Public Management, a collection of approaches to the management of public services, including cost cutting, performance management, competition and output control (for example see Diefenbach, 2009; Andrews & Van de Walle, 2012)."

3. The other concern is about leadership, a concept that is used throughout the text. However, I miss a reflection on what perspective(s) within leadership research you would like to use in relation to teamwork.

We drew on Salas' Big Five model of teamwork which explicitly includes leadership and describes it as key to team co-ordination. We acknowledge that there is a large literature on other theories, models and concepts of leadership but we did not draw on those. The Salas model is a prominent human factors model of teamwork and although it is fairly transactional (focusing on what team leaders do), we think it is an appropriate model for this exploratory work. In the discussion we extend our consideration of leadership by reflecting on implicit and explicit team co-ordination, drawing on human factors studies of leadership (see discussion first section pages 29 and 30). Future studies could explore leadership in more depth using other theories of leadership. We have added the following to page 5 to highlight the inclusion of leadership in the theory - "One of the key factors is team leadership and the role of leaders in co-ordinating team activities is emphasised in this perspective."

And the following has been added to page 30 in the discussion -

The theoretical framework that was used to design the study (Salas et al, 2005) emphasised the importance of team leadership in co-ordinating the team, monitoring performance and developing team members' abilities and this was supported by the findings. However, it is limited in explaining how effective team leaders put this into practice. Leadership theories from other disciplines may assist in investigating this question in more depth (for example, shared (Han et al, 2018), transformational (Eisenberg et al, 2019) or identity (Smith et al, 2018) leadership approaches may be useful).

4. Concerning the setting (in the Method section) I was referring to how the ward is organised and how many employees there are at the ward, and how many of them are working as nurses. In other words, what are the organisational preconditions for working as a nurse in the ward?

We have added that there were three wards in the older person's unit and 90 nursing staff employed in the unit. Please see the section "Setting".

5. When it comes to the concept non-technical skills (p 34 rows 5 – 7) you have to be clear in what you put into this concept. Is it relational work you are referring to?

An extra sentence defining non technical skills has been added to p 33, with a reference.

"Non-technical skills are the cognitive and social skills that allow workers to communicate and co-ordinate their actions" (Kodate, Ross, Anderson & Flin, 2012).

6. It is more clear writings now about the interviews and how they were performed, but I do not find it necessary to mention the researchers' initials - but that is a small thing!

Initials have been removed.

7. Further, you can consider using the concept abduction when talking about how you approached the material.

Thank you for the suggestion. We did consider this suggestion carefully and noted differing opinions in the literature about the usefulness and clarity of the concept of abduction. On the basis that it describes our analysis process accurately as actually carried out, and we think perhaps also is more familiar for the readership, we think on balance it better to retain the use of deduction/induction for describing this.

8. Figure 1 is clearer now, but it is important to refer to the source correctly and include page number as well.

The journal is unfortunately not printed on paper so there are no page numbers. The reference is complete with the volume and issue numbers and the paper number as per the journal style.

9. The heading on p 25 has in my printed version more space between the heading and the text, than the other sub-headings in the same section?

Thank you for noticing this, it has now been fixed.

Nursing teamwork in the care of older people: A mixed methods study

Highlights

- Perceived quality of care was related to perceived quality of teamwork and leadership
- Challenges included the difficult nature of caring for older people and time pressures
- Nurses co-ordinated a multi-disciplinary team
- Adapting to constantly changing priorities was made difficult by role confusion and unclear expectations

Nursing teamwork in the care of older people: A mixed methods study

Anderson, J.E.^{1*} Ross, A.J.² Lim, R.³ Kodate, N.⁴ Thompson, K.⁵ Jensen, H.⁶ & Cooney, K.⁶

¹ Florence Nightingale Faculty of Nursing, Midwifery and Palliative Care, King's College London

² Dental School, University of Glasgow

³ Reading School of Pharmacy, University of Reading

⁴ School of Applied Social Science, University College Dublin

⁵ Department of Applied Social Studies University of Bedfordshire

⁶ Guy's and St Thomas' NHS Foundation Trust, London, UK

Correspondence to:

Dr. Janet Anderson
King's College London
Florence Nightingale Faculty of Nursing, Midwifery and Palliative Care
James Clerk Maxwell Building
57 Waterloo Road
London SE1 8WA
janet.anderson@kcl.ac.uk

Keywords: Teamwork, Quality of care, Nursing, Acute Care, Care of older people

**Nursing teamwork in the care of older people: A mixed methods study of
adaptive team processes**

Anderson, J.E.^{1*} Ross, A.J.². Lim, R³. Kodate, N.⁴ Thompson, K.⁵ Jensen, H.⁶ & Cooney, K.⁶

¹ Florence Nightingale Faculty of Nursing, Midwifery and Palliative Care, King’s College London

² Dental School, University of Glasgow

³ Reading School of Pharmacy, University of Reading

⁴ School of Social Policy, Social Work and Social Justice, University College Dublin

⁵ Department of Applied Social Studies University of Bedfordshire

⁶ Guy's and St Thomas' NHS Foundation Trust, London, UK

Correspondence to:

Dr. Janet Anderson
King’s College London
Florence Nightingale Faculty of Nursing and Midwifery
James Clerk Maxwell Building
57 Waterloo Road
London SE1 8WA
janet.anderson@kcl.ac.uk

Keywords: Teamwork, Quality of care, Nursing, Acute Care, Care of older people

ABSTRACT

Healthcare is increasingly complex and requires the ability to adapt to changing demands. Teamwork is essential to delivering high quality care and is central to nursing. The aims of this study were to identify the processes that underpin nursing teamwork and how these affect the care of older people, identify the relationship between perceived teamwork and perceived quality of care, and explore in depth the experience of working in nursing teams. The study was carried out in three older people's wards in a London teaching hospital. Nurses and healthcare assistants completed questionnaires (n=65) on known dynamics of teamwork (using the Nursing Teamwork Survey) together with ratings of organisational quality (using an adapted AHRQ HSPS scale). A sample (n=22; 34%) was then interviewed about their perceptions of care, teamwork and how good outcomes are delivered in everyday work. Results showed that many care difficulties were routinely encountered, and confirmed the importance of teamwork (e.g. shared mental models of tasks and team roles and responsibilities, supported by leadership) in adapting to challenges. Perceived quality of teamwork was positively related to perceived quality of care. Work system variability and the external environment influenced teamwork, and confirmed the importance of team adaptive capacity. The CARE model shows the centrality of teamwork in adapting to variable demand and capacity to deliver care processes, and the influence of broader system factors on teamworking.

INTRODUCTION

Despite intra and inter country differences in life expectancy, there has been a steadily rising increase in life expectancy over the last century (Leon, 2011). Alongside this population change, the demand for hospital care has been rising inexorably over recent years, especially for older people. The biggest increase in hospital admissions in the UK has been in the age group 65-84, with hospital episodes rising by more than 2 million to 6.3 million over a ten-year period to 2017 (NHS Digital, 2017). Along with increased demand there is now increased focus on the quality of care received by older people. For example, in 2001 the Standing Nursing and Midwifery Advisory Committee identified significant problems in the quality of nursing care delivered to older patients in acute hospitals (SNMAC, 2001). More recently, health and social care policy initiatives for older people in the UK have included guidelines and standards produced by the National Institute for Health and Care Excellence (NICE), Care Quality Commission, Department of Health, Royal College of Nursing and Healthcare Improvement Scotland, indicating high levels of concern for this vulnerable population. Older people in hospital are at greater risk of experiencing adverse incidents including falls, pressure ulcers, infections, adverse drug reactions, delirium and incontinence (Sari et al, 2008; Long et al, 2013). Older patients (over 65) have complex care needs and are more likely to experience clinical complications, increased length of stay, and loss of functional ability following treatment in hospital (Long et al, 2013). These challenges of caring for older people in hospital mean that it is important that we understand how nursing teamwork contributes to the quality of care they receive. Quality is defined by the Institute of Medicine as having six dimensions: safety, clinical effectiveness, patient centred, timely, efficient and equitable. In this paper we focused on safety, clinical effectiveness and patient centredness.

1 Nurses deliver much of the care in hospitals and comprise 25% of the NHS workforce, with
2 support workers, including healthcare assistants, comprising an additional 25% (Nuffield
3 Trust, 2017). However, nursing teams have received less research attention than specialist
4 inter-professional teams such as cardiac arrest teams (Andersen et al, 2010), operating theatre
5 teams (Bleakley et al, 2006) and clinical resuscitation teams (Cooper et al, 2016). There is
6 currently evidence that good nursing teamwork is related to high job satisfaction and lower
7 rates of missed care (Kalisch, et al, 2010), better staff retention (Lartey et al, 2014), reduced
8 mortality (Wheelan et al, 2003) and reduced errors in care (Nadzam, 2009), but it is still not
9 clear how teamwork is translated into practice in nursing teams, how it contributes to patient
10 care, and what factors impede or facilitate good teamwork.

11 Teamwork in healthcare is the co-ordination of the work of several people towards the
12 common goal of providing safe, high quality patient care (Salas et al., 2008; Leonard et al.,
13 2004). Constantly changing membership and spatially distributed team members (McComb et
14 al., 2017) make teamwork in healthcare particularly challenging. The importance of
15 teamwork is confirmed by studies showing that poor communication and ineffective
16 teamworking are often implicated in adverse events (e.g., Nagpal 2012). There is also
17 emerging evidence that good teamwork is associated with improved patient care, including
18 patient safety outcomes, staff attitudes, and positive team behaviours (Manser, 2009;
19 Lemieux-Charles & McGuire, 2006). However, the details of which specific aspects of
20 teamwork influence patient care and the mechanisms by which this occurs are poorly
21 understood (Manser, 2009), despite the existence of high level theories of healthcare
22 teamwork. Such theories often contain abstract descriptions of behaviour that are difficult to
23 translate into practice (Freeman et al., 2009).

1 In this study we used Salas' (Salas et al, 2005) concept of the big five key components of
2 effective teamworking to investigate how nurses perceive teamwork and how it is enacted in
3 practice. The five key factors are:
4
5
6

- 7 1. Performance monitoring: members monitor each other's performance to rectify
8 mistakes and give feedback about performance.
9
- 10 2. Back-up behaviour: members back each other up by providing feedback to
11 improve performance, assist with successful completion of a task, and provide
12 support to complete a task if overloaded.
13
- 14 3. Adaptability: ability to adapt to changing conditions in the internal team
15 environment and in the complex and changing external environment; this may
16 require flexibility in who performs tasks, in what order and how.
17
- 18 4. Team orientation: members prefer working in a team and are able to improve their
19 own performance through input from others.
20
- 21 5. Team leadership: ability to co-ordinate team activities, assign tasks, assess team
22 performance, and develop team members' abilities.
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40

41 One of the key factors is team leadership and the role of leaders in co-ordinating team
42 activities is emphasised in this perspective. These factors are theorised to be supported by
43
44 three co-ordinating mechanisms: a shared understanding of the team's goals; effective,
45
46 closed-loop communication; and mutual trust between team members. Although this
47
48 framework is well cited in the teamwork literature, there is little empirical evidence to
49
50 support it. In this study we aimed to understand how well it captured the important aspects of
51
52 nursing teamwork.
53
54
55
56
57
58
59
60
61
62
63
64
65

We also drew on concepts from resilient healthcare theory, which argues that care is complex, healthcare environments are highly dynamic and variable, and adaptive processes are crucial to successful care delivery (Robson, 2015; Braithwaite et al, 2013). Complexity is increased by multiple competing priorities and goals, incompleteness of information on which to base decisions, and intractability of processes that cannot be specified in detail. In this view of healthcare, workers' adaptations to challenges and problems are a source of safety and system resilience (Hollnagel et al., 2015).

The importance of adaptive teams (Salas et al., 2008; Rosen et al., 2011) is now recognised, but most research in healthcare has been conducted on teams solving discrete problems rather than managing ongoing operations, as is the case for nursing teams. Studies of adaptive teams often investigate how teams deal with the high cognitive load caused by time constraints, uncertainty and complexity (Entin & Serfaty, 1999) and have found that adaptive teams switch from explicit to implicit co-ordination mechanisms to conserve resources and attention when tasks are very demanding (Entin & Serfaty, 1999). Although adaptation is thought to be important, it is still not well understood. The precise nature of adaptive processes and their triggers is poorly understood as noted by Grote et al (2018) and others (for example, Christian et al, 2017). This is especially true in healthcare where there is constant pressure on nursing teams due to time and task constraints.

Aims

The aims of this study were 1) to identify the behaviours and adaptive processes that underpin nursing teamwork, and how these affect the care of older patients on hospital wards; 2) to identify the relationship between nurses' perceptions of the quality of teamwork and nurses' perceptions of the quality of care; and 3) to explore, in depth, the experience of working in nursing teams and how nurses conceptualise team processes.

METHOD

Local Research Ethics Committee approval for the study was obtained (REF SSSL/10/11-38). Participants were provided with the study information sheet, consent form and the opportunity to ask researchers questions. Participants gave informed consent to be interviewed and for the interviews to be audio-taped. Return of a completed questionnaire was viewed as implicit consent for aggregation of dis-identified questionnaire data, in accordance with ethics committee recommendations. All participants were informed that they were free to withdraw from the study at any time.

Setting

The study was carried out in a London acute care teaching hospital with approximately 832 beds. There were 84 beds in the older persons' unit with three wards, and according to national quality indicators (e.g. infection rates, falls, and patient complaints) the standard of care was above average. Although a multidisciplinary team of nurses, doctors, specialist geriatricians, physiotherapists, dieticians and social workers delivers care on the unit, this study focused on the nursing team (nurses, healthcare assistants and ward clerks). There were 90 nursing staff employed on the unit.

Study design

A mixed methods design was used, in which study data were collected using questionnaires and semi-structured interviews. Questionnaires were used to assess nurses' perceptions of teamwork (Nursing Teamwork Survey) and perceptions of the quality of care (Hospital Survey on Patient Safety Culture). Semi-structured interviews were carried out to understand in more depth the nuanced nature of teamwork and the experience of working in a nursing team. Mixed methods were used to gain a deeper understanding of teamwork than would be possible using one method alone. Investigating the phenomenon from different methodological perspectives increases confidence in the findings.

Participants

The participants were ward staff on the older people's wards in the hospital. Ninety nursing staff and healthcare assistants were eligible to participate in the study. Sixty-five staff completed questionnaires: 41 Staff Nurses, seven Senior Nurses, and 18 Healthcare Assistants (response rate 72%).

Reported ethnicity was 40% Black/Black British; 32% White; 17% Asian/Asian British; 8% other ethnic group or mixed ethnicity and 3% preferred not to say. The age range for questionnaire respondents was 21-62 years; mean 38.8 years, SD 11.2. The average length of experience was 42 months, with a wide range from 1 month to over 14 years (SD 45.3 months).

Twenty-two of these participants were also interviewed: 13 staff nurses, two senior staff nurses, six healthcare assistants, and a ward clerk. There were 20 female and two male interviewees. Interviewees were a subset of those who completed questionnaires and volunteered to participate in interviews. Staff nurses and senior nurses differ in the amount of experience they have and their seniority. Healthcare assistants are unregistered staff who provide direct patient care under the supervision of nurses. As we wished to examine teamwork systems from multiple perspectives, non-proportional quota sampling was used to ensure that varying seniority and experience levels were represented. It has been argued that for small sample sizes (typically in studies using intensive qualitative methods), the bias from quota sampling is less detrimental to the study integrity than the lack of precision introduced by probability samples (Dewille, 1991).

Data collection tools

The Nursing Teamwork Survey (Kalisch et al., 2010) was used to collect perceptions of dimensions of teamwork. This was chosen because it was based on the Big Five factors (Salas et al, 2005) and has been validated with nursing teams. It has good psychometric

properties (Kalisch et al., 2010), assesses team members' perceptions of the functioning of the team and provides an overall view of team effectiveness as well as a means to diagnose particular problem areas. It has 33-items with five factors derived from theory (Salas et al, 2015): trust, team orientation, back-up, shared mental model, team leadership. Respondents are asked to rate each descriptive item on a 5-point scale measuring how often it occurs; 1=rarely, 2=25% of the time, 3=50% of the time, 4=75% of the time, and 5=always. The questionnaire is self-administered, and completion time was approximately 30 minutes.

Perceptions of the quality of care were assessed using the Hospital Survey on Patient Safety Culture (Agency for Healthcare Research and Quality, 2010), which we modified for this study. The original scale is composed of 12 subscales with 45 Likert scale items. For this analysis we obtained an overall measure of perceived care quality by combining two factors from the scale: *Overall Perceptions of Safety* (consisting of 4 items, AHRQ reported Cronbach's alpha .74); and the overall *Patient Safety Grade* (single item rating scale with 5 levels). To this we added a single item rating scale with five levels to assess overall perceptions of *Patient Care*. Cronbach's alpha for our six-item care quality measure was .72, comparable with the original 4-item measure. The measure therefore assessed quality of care including patient safety, which is a component of quality.

Semi-structured interviews were designed to explore in-depth the dimensions of teamwork assessed by the questionnaire, and other contextual factors mentioned by interviewees that affect adaptive team processes. The interview schedule was developed for this study and focused on team processes, multi-disciplinary working, organisational issues such as workload and staffing, culture and information and communication, and perceptions of patient safety and care quality. The same interview topic guide was used for all participants. Survey and interview data collection proceeded in parallel.

Procedures

The study was publicised by the researchers during briefings for ward staff. Questionnaires were subsequently distributed either by the researchers handing them directly to potential participants, or by leaving questionnaire forms and instructions on the ward. Participants could return completed questionnaires by posting them in a sealed box on the ward or handing them directly to the researchers.

Semi-structured one to one interviews were conducted ~~(by AR, RL and NK)~~ in two private rooms in the hospital, and ranged in length between 20 and 60 minutes. As is common in qualitative research interview length varied according to the style and responsiveness of individual interviewees. The interview schedule was pilot tested with nurses from another area within the hospital prior to interviews taking place, with the final interview schedule incorporating amendments based on the feedback received. Nurses who participated in pilot testing did not participate in the study.

Data analysis

Questionnaires were entered into IBM SPSS v 20.0 for analysis. This included descriptive statistics, ANOVA to explore whether teamwork perceptions differed between staff groups, age, ethnicity, or the length of time participants had worked on the ward, Pearson's correlations to explore the relationship between perceptions of teamwork and perceptions of the quality of care, and multiple linear regression to examine whether perceptions of teamwork predicted perceptions of the quality of care.

Interviews were transcribed verbatim and thematically analysed using NVivo (2012) software (Braun and Clarke, 2006). Descriptive coding was first conducted by a single researcher. This involved assigning a code to segments of text reflecting the content. Data were coded deductively using the NTS factors. This was chosen because it has considerable overlap with the Big Five factors (Salas et al, 2005), but has been validated with nursing teams (Kalisch et

al, 2010). Inductive analysis was also used to identify themes that were not contained in the NTS. Text with similar content was coded and codes were refined based on iterative cycles of coding and reviewing to ensure that the categories were coherent.

A coding framework based on the deductive and inductive analysis was then developed and applied to all the interviews. Throughout the coding process transcripts were reviewed by the whole research team to clarify the context and meaning of coded text. In testing the reliability of codes, definitions were discussed by two researchers to facilitate agreement. Both researchers were involved in study design and data collection and had a shared understanding of the codes. Minor differences were discussed between the two researchers until consensus was reached. Then an independently coded selection of meaning units (sentences or short paragraphs) into themes showed a good match with 92% agreement.

RESULTS

Questionnaire results

Cronbach's Alpha scores for the five subscales of the NTS are shown in Table 1.

Table 1 Mean Nursing Teamwork Survey subscale scores (n= 65)

NTS dimension	N	Mean (SD)	Reliability (alpha)
Trust	60	3.03 (.88)	.88
Team orientation	58	2.96 (.69)	.75
Backup	61	2.86 (.78)	.78
Shared Mental Model	60	3.50 (.73)	.85
Leadership	63	3.04 (.92)	.80

Nursing Teamwork Survey scores indicate how often each item occurs on a 5-point scale:

1=rarely, 2=25% of the time, 3=50% of the time, 4=75% of the time, and 5=always.

Therefore, the obtained mean subscale scores showed that good teamwork behaviour reportedly occurred slightly more than 50% of the time (mean scores ranged from 2.96 to 3.50, see Table 1), with the score for the shared mental model factor being slightly higher than the others. Table 1 shows that the subscales had good reliability (internal consistency); respondents interpreted the individual items that make up these scales as referring to similar constructs, i.e. responded to grouped items in the same direction. Analysis of variance showed that staff group (participant type) had a significant effect on perceptions of teamwork ($F = 4.7$, $df = 65$, $p < .05$) and perceptions of care quality ($F = 5$, $df = 65$, $p < .01$). A Bonferroni post-hoc follow-up test for multiple comparisons showed that healthcare assistants had significantly more positive perceptions of both teamwork (healthcare assistants mean 3.58, nurses mean 3.02; $p < .05$; 95% CI .1-1) and care quality on the unit (healthcare assistants mean 4.09 nurses mean 3.59; $p < .05$; 95% CI .08-.92) than Staff Nurses.

No effects for age, ethnicity or length of experience working on the ward were found with respect to staff perceptions. There was a strong relationship between perceptions of teamwork and perceptions of care quality: Pearson's Product Moment Correlation .699 ($p < .001$). A multiple linear regression predicting perceived quality of care from the five sub-scale factors of the Nursing Teamwork Survey gave an adjusted R Square of .498 (standard error .48, $F = 11.9$; $p < .001$), and showed that leadership was a significant predictor of perceived care quality ($\beta .323$; $P < .05$, effect size .99).

Interview results

Interview data are first presented according to the Nursing Teamwork Survey categories that were used deductively to code the data. These were shared mental models, trust, back-up

behaviour, and team leadership. Next, four emergent themes (adaptability, communication, task demands, and work system variability) were identified inductively and are presented along with their relevant sub themes. In the following sections a theme describes a commonly occurring feature of the data that may have different facets. The sub themes represent different facets of the overarching theme and show specific examples of how it occurs in practice. For each sub theme we provide further description and representative extracts from the data.

Shared Mental Models

In interviews we asked participants about their concepts of good care and good teamwork to assess to what extent they had a shared understanding about good nursing care and good teamwork. Interview data showed a high level of agreement about what constituted good care, and on team goals and responsibilities. However respondents' mental models did not completely overlap, indicating some subjectivity in perceptions of care. Themes identified in response to questions about concepts of good care are summarised and described in Table 2.

Table 2 Mental models of concepts of good care – description of sub themes

Sub Themes	Description	Representative response
Personalised care	Putting patients first and treating them as individuals, being aware of and adapting to needs, providing basic care such as eating and drinking, making sure patients are comfortable and happy, paying attention to detail	<p><i>"[...] the staff is good, so we need to keep it up like that because we have to put the patient first" (Interview 9, HCA)</i></p> <p><i>"Someone who puts patients' care first [...] ensuring that patients are cared for properly, that nurses are doing their jobs" (Interview 4, Staff Nurse)</i></p>
Dignity and	Protecting or maintaining	<i>"Whatever they want, you help [...] as best as you can. Make</i>

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	privacy	patient dignity and privacy, respecting patients, treating patients like their own relatives, making patients feel safe and valid	<i>sure their dignity is in focus at all times. (Interview 13, Staff Nurse)</i> <i>“[...] preferences they have like with hair and shaving and things, obviously finding [...] privacy and dignity by closing the curtains and speaking to them nicely and making sure they don’t get neglected [...] making sure that their needs in terms of eating and drinking are being met [...]” (Interview 17, HCA)</i>
16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38	Communication with patients and relatives	Providing information such as patients’ diagnosis and care plan despite difficulties relating to patients’ variable mental acuity and physical condition such as hearing difficulties and visual problems. General social chat was also seen as important.	<i>“[...]it’s mostly down again to communication, maybe we haven’t informed the family member or something and they’ve caught onto that and snowballed into something else which we could have averted if we had communicated with them effectively enough beforehand (Interview 5, Staff Nurse)</i> <i>“I think it can be quite difficult because they have perhaps visual problems or they may have hearing aids or things like that so that can be quite complex but if you take the time out to speak to them clearly, to sit down with them, it is rewarding” (Interview 1, HCA).</i>
39 40 41 42 43 44 45 46 47 48 49 50 51 52 53	Holistic care	This included the care provided within the hospital up to the point of discharge and ‘total care’ where the medical, personal and social care aspects are considered.	<i>“Because we care for the patient the total care, it is like [...] not like caring for young people, total care completely [...] So not like other patients they are more dependent on the nursing care” (Interview 10, Staff Nurse)</i>
54 55 56 57 58 59 60 61 62 63 64 65	Understanding and empathy	Understanding the needs and wants of patients. Being empathic, listening,	<i>“[...] just listening to see if they’re upset or worried about anything. And most of them will tell you. Some of them need a little bit more encouragement so you need to know your patient</i>

	reassuring, knowing patient preferences, problems and moods. Understanding social and cultural factors.	<i>a little bit better</i> ” (Interview 12, Staff Nurse)
--	---	--

Respondents were also asked about what makes a good team. Flexible adaptation to variable conditions was key to these responses. Sub themes identified were shared goals, reciprocity, supporting colleagues, patient care, and good organisation. A good team worked together, worked towards the same goal, or helped each other in their work. In some interviews, respondents described teamwork in terms of reciprocity, where the focus for a staff member was to gain help from someone who they had previously helped:

“Well good teamwork is if you are working, for instance I am working with two or three staff then we get to know each other and we find out work, so that whenever I need to, you are available to help me” (Interview 3, HCA).

Other participants talked more specifically about working together to benefit patients, supporting each other, supporting the nurse-in-charge and sharing caseloads. Others mentioned that team members who understand their roles and can organise their own work form a good team.

“...when all my colleagues come together, and you organise yourself, if you have good organisation, you organise yourself, you know what you’re doing and you get everybody involved and at the end of the day you get a good result...” (Interview 20, Staff Nurse).

Trust

Trust refers to the extent to which team members are willing to communicate ideas and concerns and able to give and receive constructive feedback. Some interviewees explicitly mentioned the importance of trusting team members and knowing their capabilities and reliability. Good team relationships relied on social skills to ease relationships and support each other.

“I think it is trusting each other and perhaps knowing everybody’s strengths and weaknesses and so knowing that if you’re newly qualified you won’t be able to do certain things but if you’ve been here a couple of years, you’ll have done that and to use those strengths.”

(Interview 1 Band 5 nurse).

“Sense of humour, characters, respect, honesty and the same goal ...” Interview 5 nurse

“We can trust each other and we’re reliable ...because sometimes I will say, it’s okay I will do that after you’ve gone for a break and if it’s not done when you come back you’re disappointed”. (Interview 6 nurse).

“We take our responsibilities seriously ...and we are honest with each other.” (Interview 2 Nurse).

There were two main themes discussed that related to trust; speaking out and receiving feedback. The majority of respondents felt comfortable speaking out about concerns they had or reporting mistakes. They felt that senior staff members were approachable and supportive.

Nevertheless, some of those who had spoken out felt that it was a difficult experience. A minority reported not feeling comfortable speaking out, including junior nurses feeling uncomfortable about speaking with doctors, and healthcare assistants feeling not able to approach nurses. Others felt that speaking about a problem would not result in any change:

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

“And even sometimes if I did just say, look, I find whatever, I feel like it isn’t going to be taken too well...And I’ve been told that there’s no point saying it. So in that regard, I’ve been told not to bother saying it, that nothing’s going to change.” (Interview 12, staff nurse).

“If something is wrong, I feel comfortable to say it, even though I won’t get feedback and tell me it was okay or not. It’s nice to see something wrong and raise it up and they understand, but it is nice when you do that, to get feedback” (Interview 9 HCA).

Receiving feedback about their work led some respondents to feel they were being judged, and there were reports that performance feedback had led to disagreements about roles and responsibilities.

Maybe for example if we ask a nurse to do something ... but for some reason either they don’t like what you said or they don’t like what you’ve asked them to do, they take offence to it ...but if they took a step back what I’m asking them to do is not for me it’s for the patient ... (Interview 5, band 5 nurse).

A related aspect was that some staff reported that not all work was viewed as equivalent. Only certain tasks, such as giving medication, washing, dressing, and providing nutrition at mealtimes, were viewed as legitimate work. Time spent socially interacting with patients outside of these tasks was viewed negatively, as a luxury in a time-poor clinical setting. Senior staff members who spent less time providing hands-on care due to administrative demands were also sometimes not perceived to be team players.

Back-up Behaviour

Back-up behaviour refers to the extent that team members are willing to step in and assist if capacity is stretched. Themes relating to backup behaviour were time, workload, individual working and reciprocity.

1 Many interviewees identified problems with staff members backing each other up. General
2 difficulties included insufficient time and a heavy workload.
3

4
5 *“I think we all try to help each other but the pressure of time means you are always thinking*
6 *what is happening with my patient while I’m helping over here....”* (Interview 1, staff nurse).
7

8
9
10 However more pervasive problems were also identified. These included a reluctance of some
11 staff to assist other team members or to meet the needs of patients who were not assigned to
12 them. These staff focused on their own individual work:
13

14
15
16 *“You know the members of staff you can ask. I’ve learnt that within the first two weeks, who*
17 *can I ask and who will actually help me and who won’t”* (Interview 12, Staff Nurse).
18

19
20
21 Many interviewees identified a culture of reciprocity and flexible working which involved
22 staff only helping others who had helped them in the past, emphasising views that were
23 elicited when respondents talked about what makes a good team. Back-up behaviour was
24 seen as an aspect of the social relationships within the ward rather than as a vital part of
25 providing good quality care.
26

27 **Team Leadership**

28 Team leader behaviours that are crucial to effective team functioning include structuring the
29 team, monitoring and distributing workload and assisting when staff members are
30 overloaded. There were two key themes identified in the interview data that related to team
31 leadership; role clarity, and support for new members of staff. Many respondents mentioned
32 lack of role clarity as a particular difficulty. The different roles of healthcare assistants and
33 nurses were often unclear and the lack of clear instructions from nurses to healthcare
34 assistants was reported to be a barrier to good teamwork:
35

36
37
38 *“[...] sometimes it is unclear who is doing what. I feel there is a bit of confusion in terms of*
39 *the nursing staff and the healthcare assistants...because healthcare assistants are supposed*
40

1 *to be supporting the nursing staff, but that role is normally those two that clash if I may say.*

2 *Yes so sometimes the healthcare assistant thinks it isn't his job to do something, and the*
3
4 *nurse sometimes thinks a certain role should be healthcare assistant” (Interview 4, Staff*
5
6 *Nurse).*

7
8
9
10 Additionally, respondents reported that there was a lack of understanding of all staff roles
11
12 across all grades. The lack of clear role definition was seen as adding to the workload.

13
14 Interviewees in general thought that staff were well supported in their work because senior
15
16 staff monitored their progress and provided support if it was necessary. They also had access
17
18 to a variety of training programs:
19
20

21
22
23 *“But I do think any of the nurses if they pick up on something they will escalate it further or*
24
25 *they will provide that support. If you were to say I'm struggling up this end can I have some*
26
27 *help, they'll sort it out” (Interview 1, Staff Nurse).*

31 **Adaptability**

32
33 Respondents said that being able to adapt to demand pressures and problems was a feature of
34
35 good teamwork. Time efficiency was the key theme related to adaptability. The lack of time
36
37 was raised by many participants at several points in the interviews as a particular challenge in
38
39 providing care and adapting to problems.
40
41

42
43
44 *“It seems so simple to say that it shouldn't need to be said but obviously in some*
45
46 *circumstances it does need to be said ...but talking, like spending time with them, listening,*
47
48 *obviously our time is really, really crunched into a long day but like getting information from*
49
50 *them, speaking like when we do medication rounds, giving them personal hygiene, its just like*
51
52 *talking to the patient, communicating with the patient.” (Interview 6, Band 6 Nurse).*
53
54
55
56
57
58
59
60
61
62
63
64
65

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

“Yes, time, really, because sometimes we’ve got so many patients and some have to go home and you know you have to get ready. Those who are going on departure, medication, some of them down”. (Interview 13, HCA).

Closer examination of the interviews showed that using time efficiently was often the problem, rather than lack of time. Unexpected events in the ward, such as a serious change in a patients’ state, a patient requiring close monitoring, or staff changes, contributed to difficulties managing time efficiently. This suggested that the teams’ ability to adapt to these events was challenged, and that re-setting care priorities following a change was not always easily achieved.

“It is a challenge sometimes, it is really a challenge to staffing at times and the workload, you find that maybe you have got a lot of patients that need more attention, like more nursing care and you find it difficult to do it properly because of staff shortages and things like that yes.... and sometimes also comes back to teamwork, you find that maybe even if there is enough staff it is quite difficult to get staff to do things [right], yes.” (Interview 4, Band 5 nurse).

Confusion and disagreements about roles and responsibilities was sometimes discussed as an aspect of adaptability.

“I think it’s just staff not necessarily knowing what their job role is or not taking, well and in a way taking offence to when somebody asks them to do something, a certain thing but what you’re asking them to do isn’t anything crazy ...but again I think it comes down to us verbalising what we want for them to be doing and what we expect them to do as their role as a nurse or as a healthcare assistant.” (Interview 5, Nurse Band 6).

1 Adaptability was required to respond to the needs of patients that can occur at unpredictable
2 times. It was not always possible to plan and carry out tasks in a set order.
3

4
5 *“So it just happens this is just one of the examples anyway there are so many, it so happened*
6 *there is this lady, she asked for the toilet, the bed pan [okay] and then I turned around and*
7 *told the healthcare assistant, we were all of us on the same bay and told her to help the lady*
8 *with her bed pan because I am doing the medication with the student nurse, and the*
9 *healthcare assistant turned around and said “I will do that when I finish making the bed”. I*
10 *said “no that is less important, what is important now is assisting the patient with their bed*
11 *pan you have to do this it is more important”.* (Interview 4, band 5 nurse).
12
13
14
15
16
17
18
19
20
21
22

23 Nurses also had to consider patients’ preferences for their care, which meant that work plans
24 had to adapt.
25
26

27
28 *“It could be from the patient depending on the patient depending on their mentality, like they*
29 *want to carry out their own dress, now let me give an example, the patient, because of events*
30 *I have seen, no, no, no I don’t want to, I don’t want anybody around me, I don’t want the*
31 *dressing to be done, so [inaudible 10.01] if the patient has said no, you can't force also.”*
32
33
34
35
36
37
38
39 (Interview 21, Band 5 nurse).
40
41

42 The demands of co-ordinating with members of the wider multidisciplinary team also created
43 the need to adapt when nurses were called away at times when other team members were
44 available;
45
46
47

48
49 *“The nurses they are still not there to help wash the patient because once you start to do the*
50 *medication the doctors call them, the social services call that one, OT call that one and then*
51 *they don’t help you, and you can’t wait for them because you’re never finished.”* (Interview
52
53
54
55
56
57
58 9, HCA).
59
60
61
62
63
64
65

Communication

Communication difficulty was a theme in interviews. Interviewees gave examples of poor communication between nurses, and between nurses and healthcare assistants. They specifically mentioned miscommunication and missed information as a problem during handover, which then affected teamwork and patient care. Perceived barriers to communication were difficult to identify, with most respondents citing the fact that staff members simply do not understand what is being communicated. Others highlighted that good communication was fundamental to all aspects of the work:

“[...] good communication is very, very important because without the communication there would be no consistency of care [...] like now we turn round to the night staff- if there is no communication they would not know what has happened during the day and what they need to do or [...] where they need to start, so good communication is very, very important for us to achieve our set goal. (Interview 21, Staff Nurse)

“Like say sometimes the doctors that were at, on nightshift the other day and they didn’t hand over to the nurses a patient needed fluids during the night and that was very, if it’s in a busy environment, you don’t always have time to go and see what’s written in the notes, in the medical notes ... But I started at half past six and by the time I actually looked at any of the notes was around 12 o’clock so then I, only then did I realise that a patient needed fluids because they should have verbally handed that over to the nurses.” Interview 15, Band 5 nurse

The need to adapt to the needs of patients sometimes led to unpredictable task demands that prevented staff from attending team handovers and meetings where important information was communicated

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

"I've not attended any multi-disciplinary meetings since I've been there that's because I've not had the opportunity to. I did plan to go to one and then I got caught up with medication and then it had started so I didn't get, haven't had a chance to take part yet, but it's something I would like to do." (Interview 17, band 5 nurse).

Sharing information amongst multidisciplinary team members was key to providing good care.

"It's good communication with everybody if you don't know something about a patient then the physio may know more or the OT may know more so they chip in and add in or whatever..." (Interview 20, Band 5 nurse).

Task demands

All interviewees described the challenges of caring for older patients with multiple co-morbidities, sensory and cognitive deficits and complex needs. Challenges included language problems, poor hearing and vision, impaired mental acuity, physical problems relating to their medical condition such as not being able to speak, and difficult patient characteristics such as being aggressive or demanding. Sensory deficits create problems communicating with patients and this means that communication is often time consuming and it can be difficult to judge the level of understanding patients have.

"Obviously because of their age the hearing is not so good that is a big, big problem. You find even to write things down, their eyesight is not so good." (Interview 4, staff nurse)

"Mostly hearing makes communication difficult. Most patients are hard of hearing and don't come in with a hearing aid, or they do but the hearing aid is faulty. Also difficult is the patient's state of mind [...] if they are confused no matter how much you communicate, they still don't understand" (Interview 22, Staff Nurse).

Mental confusion also meant that nurses need to spend more time with patients.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

“With older people it can be difficult to communicate with them, especially if they’re mentally unclear or confused. And they might refuse care, which means that if they refuse to have their mouth care then they won’t have their mouth care and then a relative comes and says ‘Why hasn’t he had his teeth brushed?’, there’s a lot of challenges, things like that. Some patients are demanding, or deliberately difficult, maybe attention seeking maybe rightly so, and it’s important for nurses to be objective, no favourites”. Interview 15, Staff nurse.

“I think we’re too quick to sort of wait for an answer if they’ve perhaps got slower speech or difficulties communicating, we’ll just, it will be too quick whereas if we sat there and listened.... if you’ve got patients that are very confused you just have to sit with them, if you’ve got 10 minutes spare just sit with them and you’ll get a lot out of them. On nights you can as well, if they’re confused, they don’t sleep and I try and sit down with them ... if they’re calling out you might think it’s their illness but it might be they’re worrying about something and you’ll get that out of them”. (Interview 1, Staff nurse).

Nurses were aware that if all the patient’s needs were not addressed it was likely that they would need to be re-admitted following discharge.

“The difficult case I would mention is if a patient is delirious or has dementia it’s quite difficult, but you need to have patience with them. High contact, just make high contact....you communicate with them with verbally and non-verbally....actually because with care of the elderly they’re prone to falls at home, osteoporosis and maybe they’re diabetic... so sometimes if the care is not really good they come back to hospital.” (Interview 8, staff nurse).

Individual tasks such as washing patients and chatting to them, involve many aspects of patient care and observing and assessing patients is a constant demand.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

“When washing patient you have to sometimes look for pressure sores, heels, long nails, there’s a lot of things to look for the patient, you can write it down and you know what the patient needs, what patient doesn’t need, what can be done to make the patient look different, how can we make it for them to get more better. Even when you’re washing, conversation, small talk to the patient there’s a lot of things you can find out about the patient.” (Interview 9, HCA).

“I think some people forget with communication with patients that, if you have five minutes and you’re washing a patient for example, those five minutes you can find out all the information you need regarding them. I think that’s been lost a little bit. Making the time you do spend talking to them more valuable. Find out, not just information, but find out how they are, any worries, concerns.” (Interview 18, HCA).

Documentation and paper work required a lot of time

“Sometimes, yeah, definitely. There is a lot of that. I think, because we do have so much paperwork and things like that to do, by the time you’ve finished all of that it doesn’t really give you any more time [yeah] to spend” (Interview 18, Band 6 nurse).

Work system variability and external factors

Work system and external factors were identified by participants as creating particular problems for teamwork and the delivery of high-quality care, as presented in Table 3.

“It’s like the nurses ... basically they run the unit, I mean ... they’re here twenty-four seven and they stay permanently, whereas the doctors rotate every six months, except for the consultants. So, the ... from the nurses’ perspective, it’s like the nurses are kind of the all-rounders on the ward, they do a bit a physiotherapy ... and they have to organise all the

1 *discharge planning and everything like that, whereas the other specialists are looking at*
2 *certain aspects.” (Interview 15, Nurse).*
3
4

5 Co-ordination with external agencies was the only theme related to the external environment.
6

7 Handover to external agencies was often difficult and was compounded by a lack of
8 understanding of the roles and responsibilities of practitioners in other parts of the health
9 system. Challenges included the provision of discharge information to primary care
10 practitioners and discharge planning with social services:
11
12
13
14
15
16

17 *“[...] if they need to make an arrangement for a patient to go home we need to do so many*
18 *phone calls which we have to hang on listening to the music, those things, if we can give*
19 *those times to the patient then it will be better” (Interview 10, Staff Nurse).*
20
21
22
23
24
25

26 Table 3 also highlights that healthcare is characterised by a multiple team structure, and staff
27 members had to co-ordinate their work with others in the nursing team and with the wider
28 multi-disciplinary team. Patient and task characteristics shaped how work was achieved,
29 including through multi-tasking. Staff levels, skill mix, and doctor rotations also affected how
30 teams worked together.
31
32
33
34
35
36
37
38
39

40 **Table 3 Work system variability affecting teamwork - description of sub themes**
41

42 Sub Themes	43 Description	44 Representative response
45	46	47
48	49	50
51	52	53
54	55	56
57	58	59
60	61	62
63	64	65

Multi-disciplinary team planning, co-ordination and communication	Work is organised across multiple teams. The core team is comprised of nurses and healthcare assistants. The wider team comprises multi-disciplinary professionals, including doctors, physiotherapists and social workers, with shared goals for the patients. The two teams need to co-ordinate and plan activities. Nurses play a key role liaising and acting as an information conduit. Healthcare assistants are not included in MDT meetings.	<i>“[Multi-disciplinary working is] very good on the elderly care wards. Because each discipline knows their job and knows their patients. They will involve us when they need to. [...] Really it is all about the different skills different people have in their jobs that make it work well”</i> (Interview 22, Staff Nurse). <i>“I think it is important [for healthcare assistants to be involved in MDT meetings] because we are doing the day-to-day care for the patient. We have more interactions with the patient than the trained nurses so I think we should be included as well”</i> (Interview 3, HCA).
Staff skill levels	Number of highly skilled staff available on the ward	See above
Rotation of junior doctors	Team disruption and reduced efficiency while new staff members are integrated and became familiar with each other’s’ skills and knowledge	<i>“[...] it’s like the nurses [...] basically run the unit, I mean they’re here twenty-four seven and they stay permanently, whereas the doctors rotate every six months, except for the consultants”</i> (Interview 14, Staff Nurse).
Level of staffing	Number of staff available on the ward	<i>“Obviously, we are short on staff, we normally expect that within our ward environment, but not just the amount of staff but the actual expertise of the staff. There’s</i>

		<i>one thing to be short of staff but at least if you had six staff rather than eight and they were excellent [...] then you could still provide really good care...</i> ” (Interview 18, Senior Staff Nurse).
Equipment	Unavailability of tools and patient equipment seen as a patient safety problem and a factor delaying discharge	<i>“And the equipment is always breaking down... Yeah, the photocopier is always breaking down, then there’s the stuff that the patients need, that the Occupational, the physios use [...] the standing hoist”</i> (Interview 7, Ward Clerk).
Multi-tasking	Need for multi-tasking	<i>“Well the nurses are stretched between maybe two beds and if they could have maybe say four patients to one nurse maybe it might be a little bit better than them having one nurse to six patients and then the phone keeps ringing and then they have to be running from place to place”</i> (Interview 7, Ward Clerk).
External co-ordination	Includes handover to external agencies; issues such as understanding of the roles and responsibilities of practitioners in other parts of the health system. Particular challenges included the provision of discharge information to GPs and discharge planning with social services.	<i>“[...] if they need to make an arrangement for a patient to go home we need to do so many phone calls which we have to hang on listening to the music, those things, if we can give those times to the patient then it will be better”</i> (Interview 10, Staff Nurse).

DISCUSSION

This study, ~~similar to~~like studies of teamwork in other settings, has confirmed the importance of teamwork and leadership in delivering high quality care, as perceived and described by nursing team members. In summary, the results showed that nurses' perceptions of the quality of teamwork were aligned with their perceptions of the quality of care their patients received. That is, when nursing colleagues felt that the team was working well together, they also reported positive perceptions of the quality of care that their patients received.

Perceptions of leadership were strongly related to perceptions of overall care quality and this confirms that leaders have a central role in ensuring team members work in a co-ordinated way to deliver good care. Co-ordinating complex care for older patients is challenging, and thus difficulties in team co-ordination were reported to directly affect patients and relationships between team members.

The results clearly showed the importance and challenges of nursing team adaptability in co-ordinating care across different shifts and different healthcare professions. These results augment those of previous studies which identified the importance of co-ordination between nurses and care assistants, clear communication at handover and trust in nursing teams (Kalisch et al., 2009; 2010).

The study drew deductively from Salas' five factor model of teamwork (Salas et al, 2005), and results showed high reliability for the five Nursing Teamwork Survey factors (Table 1).

Although Waterson et al. (2010) have identified problems with the reliability of the AHRQ Hospital Survey on Patient Safety Culture in the UK, we found acceptable reliability for the six-item perceived care quality factor that we used (.72). There was broad agreement between the results of the Nursing Teamwork Survey and the results of the interviews probing teamwork in more depth. Nursing Teamwork Survey results indicated moderate levels of

1 teamwork. Interview data provided a detailed picture of the dynamics and processes that lie
2 behind the NTS scores, identified specific problem areas, and provide a promising basis for
3 the design of training interventions to improve team functioning.
4
5

6
7 Interview and questionnaire data were broadly complementary, but there were also
8 differences between the Nursing Teamwork Survey and interview data. The NTS contains
9 only five of the original eight teamwork factors identified by Salas et al. (2005). Adaptability
10 and communication, factors included in the Salas model but not part of the NTS, were
11 identified as important in the interview data, suggesting that these should be included in
12 future iterations of the questionnaire. There was one factor in the NTS, 'team orientation',
13 which was not readily identified in our interview data, possibly because it is implicit in the
14 other factors and refers to a psychological construct difficult to articulate and discuss during
15 interviews. Nevertheless, our comparison of questionnaire and interview data strongly
16 suggests that the NTS captures a broad and accurate overview of team functioning.
17
18

19 We interpret our results as indicating the importance and the challenges of nursing team
20 leadership and co-ordination. Nurses had high levels of agreement about the key tasks and the
21 requirements for high quality care, but reported disagreement about roles and responsibilities.
22 Shared mental models of task requirements *and* team processes are required for successful
23 team co-ordination (Fiore et al., 2010), and the lack of shared understanding of roles may
24 have contributed to reported challenges in adapting to changing priorities and providing
25 backup to each other. These difficulties appeared to contribute to time pressures, sporadic
26 conflict and lack of trust between staff members. Nurses also reported the need for more
27 explicit co-ordination from team leaders in the form of role clarification, allocation of tasks
28 and support for new staff. This confirms previous research showing the importance of leaders
29 in providing explicit co-ordination of work when teams are under pressure or when implicit
30 co-ordination breaks down. Implicit co-ordination has been shown to be associated with high
31
32

performance in anaesthesia teams and is associated with greater time and problem-solving efficiency (Grote et al., 2004). The team characteristics affecting implicit co-ordination are not entirely clear (Kolbe et al., 2011), but shared mental models of tasks and team roles, requiring explicit task co-ordination by the leader, appear to be important. Mediating factors such as team composition and team member experience are also likely to be important (Manser et al., 2009).

The theoretical framework that was used to design the study (Salas et al, 2005) emphasised the importance of team leadership in co-ordinating the team, monitoring performance and developing team members' abilities and this was supported by the findings. However, it is limited in explaining how effective team leaders put this into practice. Leadership theories from other disciplines may assist in investigating this question in more depth (for example, shared (Han et al, 2018), transformational (Eisenberg et al, 2019) or identity (Smith et al, 2018) leadership approaches may be useful).

Putting the team *in situ*

Nursing teams performed a co-ordinating function within a complex structure of multiple interacting professional teams. Team members ensured there was a constant flow of information between the nursing team, doctors, and allied health practitioners, and they co-ordinated care for the benefit of patients. This communication and co-ordination function is crucial to patient care and requires skill and time. A multiple team structure increases the complexity of co-ordination and the opportunity for care quality problems (Kolbe et al., 2011) and so needs to be explicitly managed.

Previous studies have identified the importance of co-ordination between nurses and care assistants and have found that senior staff rate teamwork more highly than junior staff

(Kalisch et al., 2009; 2013). Interestingly our HCAs rated the Unit teamwork more highly than nurses, though they also reported feeling excluded from the team and that their intimate knowledge of patients' needs was not sought or valued. Other work system factors that challenged nurses' teamwork included equipment availability, staffing levels and skill mix, doctor rotations, and task and patient factors. Co-ordination with external agencies was also problematic. These challenges required the nursing team to adapt priorities and tasks to maintain high quality care, but this was reportedly difficult and an area that could be improved. Interestingly, physical environment factors were not mentioned by interviewees. One potential explanation is that nurses are more focused on providing care and interacting with the team than on aspects of the physical environment. Further work could explore this issue as it is known that physical space is an important constraint on healthcare work (Hignett, 2001; Maben et al., 2016).

Adaptive healthcare teams

The influence of work system factors on clinical work has been well recognised in models such as the SEIPS model (Holden et al, 2013), which emphasises the role of people in the delivery of care to a patient and identifies the role of work system factors in shaping care. Previously, we have proposed a systems model known as the CARE model (Anderson et al., 2016; see Figure 1), which captures the complexity of the environments in which nursing teams operate, and which we argue can be used as a lens to consider the present data as representing adaptive teamwork situated within a complex system.

The model shows that the work system has certain demands and capacities, which are often misaligned, as shown in our results documenting the pressures of lack of staff, inadequately skilled staff, lack of equipment, co-ordinating a multi-disciplinary team, regular staff rotations and the need to multi task. These work system pressures have also been highlighted in critiques of New Public Management, a collection of approaches to the management of

1 public services, including cost cutting, performance management, competition and output
2 control (for example see Diefenbach, 2009; Andrews & Van de Walle, 2012). These
3
4 misalignments ~~have to~~must be managed by healthcare teams if they are to continue to deliver
5
6 good outcomes. The ability to adapt to these conditions is essential if nurses are to deliver
7
8 good care. Our data (see Table 3) showed that demands included the need to co-ordinate
9
10 within a multiple-team structure and with external agencies; to multitask; and to respond to
11
12 challenging patient needs, which included preferences for the way care is delivered. Capacity
13
14 to respond to these needs requires sufficient staff with the necessary skill mix and available
15
16 equipment, and good teamwork skills. The data showed that the ability of the team to adapt
17
18 and cope with these pressures was essential for the provision of good care; breakdowns in
19
20 team co-ordination and adaptation clearly resulted in difficulties, including in re-ordering
21
22 priorities when the context changed.
23
24
25
26
27
28
29

30 The CARE model, we argue, provides a means to conceptualise the demands on nursing
31
32 teams and the importance of teamwork in adapting to them. Adaptive team processes have
33
34 been studied extensively in other domains, such as the military (e.g. Entin & Serfaty, 1999),
35
36 and for informing team training (Salas et al, 2008), and are better understood in other
37
38 domains than in nursing teams. This study provides an overview of the importance of
39
40 adaptation for nursing teams and a direction for further research to unpick the detail of how
41
42 adaptive teams in nursing operate and can be improved.
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65




Figure 1 CARE model of adaptive performance in complex healthcare systems (Adapted from Anderson et al., 2016)

Implications of the results

The results of the study highlight opportunities for human factors and ergonomics experts to work with nursing teams to improve non-technical skills, teamwork and leadership. Non-technical skills are the cognitive and social skills that allow workers to communicate and co-ordinate their actions (Kodate, Ross, Anderson & Flin,2012). Although non-technical skills training using high and low fidelity simulation is common in healthcare (Rosen, 2008), the importance of adaptive capacity and the role of leaders in supporting flexible adaptation is only starting to be discussed (Paige et al, 2018) and the concept of team adaptive capacity is not common in nurse training programmes. Similarly, the role of nurse leaders in co-ordinating teamwork has been highlighted by this study but is not often addressed in training programmes. This study clearly shows the importance of improving teamwork, leadership and adaptive capacity in nursing teams and provides important contextual detail about the nature of nursing work and its challenges.

The results have a number of implications for quality improvement in the care of older people. First, nursing teamwork and leadership were highlighted as important influences on the perceived quality of care and efforts to improve quality should focus on strengthening these aspects of nursing work. Understanding the need for teams to adapt to difficult and changing demands, as shown in the CARE model (Anderson et al., 2016), highlights the need to strengthen this ability. Team training (Ross et al., 2012) could explicitly address adaptive teamwork, with a focus on the role of leaders in promoting team co-ordination and adaptation.

Second, the results showed that work system variability affects teamwork. Many factors created challenges for the ability of the team to meet the demands of providing care, including co-ordinating with other professionals, ensuring adequately skilled staff, available equipment and the need to multi task. Senior managers should examine how organisational

1 policies and requirements can be made more supportive of effective teamwork by
2 considering, for example, staffing levels, staff skill mix, and the workload imposed by
3
4 rotation of staff and the need to co-ordinate with the wider multi-disciplinary team.
5
6

7
8 Finally, co-ordination with external agencies was difficult. This is likely to prove challenging
9
10 to address because of the difficulties of cross organisational working. In recent years, policy
11
12 initiatives have been taken to achieve closer collaboration between acute and community-
13
14 based care (Goodwin et al., 2014; Araujo de Carvalho et al., 2017), but future research will
15
16 be required to address these co-ordination issues in practice. Acknowledgement of the
17
18 difficulties involved and provision of sufficient resources to work effectively with external
19
20 agencies would be desirable.
21
22
23
24

25
26 This study investigated perceptions of care and teamwork, but future human factors and
27
28 ergonomics research could investigate links between teamwork and patient outcomes and
29
30 include objective measures of teamwork such as in situ observations, and patient outcome
31
32 data. There is also a role for longitudinal studies that explore the relationship between
33
34 teamwork and outcomes over time, given the changing nature of healthcare teams. Nursing
35
36 work and nursing teams have been relatively under studied in human factors and ergonomics
37
38 compared to other healthcare teams, but clearly nursing work is central to patient care and
39
40 worthy of further investigation. The study did not investigate the functioning of inter-
41
42 professional teams, which are important in delivering high quality care for older people, and
43
44 which might pose greater challenges to effective team-working than we found in the nursing
45
46 teams (Ginsburg and Bain 2017; McComb et al, 2017).
47
48
49
50
51
52

53 **Conclusions**

54
55 In conclusion, this study has highlighted the importance of nursing teamwork in adapting to
56
57 pressures to provide high quality inpatient care for older people. Nurses' perceptions of the
58
59 quality of teamwork was positively related to their perceptions of the quality of care.
60
61
62
63
64
65

Leadership and team co-ordination were challenging for the nursing teams, and sometimes resulted in role and task allocation confusions, and difficulty reconfiguring work goals when priorities changed. Efforts to improve teamwork should focus on developing and supporting adaptive capacity in nursing teams. Organisational factors that affect teamwork should also be addressed, including recognition of the challenges of co-ordinating multiple teams and dealing with external agencies. The CARE model (Anderson et al., 2016) provides a means to conceptualise and focus improvement efforts by showing how the demands of the work system require teams to flexibly adapt to pressures and problems to provide good care.

ACKNOWLEDGEMENTS

This work was supported by funding from Guy's and St. Thomas's NHS Foundation Trust.

REFERENCES

- 1 Agency for Healthcare Research and Quality, 2010. Hospital Survey on Patient Safety Culture.
2 Online <http://www.ahrq.gov/qual/patientsafetyculture/> Last accessed 27th June 2012.
3
- 4 Andersen, P.O., Jensen, M.K., Lippert, A. and Østergaard, D. 2010. Identifying non-technical
5 skills and barriers for improvement of teamwork in cardiac arrest teams. *Resuscitation*,
6 81(6), pp.695-702.
7
- 8
9 Anderson, J.E., Ross, A.J., Back, J., Duncan, M., Snell, P., Walsh, K. and Jaye, P. 2016.
10 Implementing resilience engineering for healthcare quality improvement using the CARE
11 model: a feasibility study protocol. *Pilot and feasibility studies*, 2(1), 61.
12
- 13 Andrews, R. and Van de Walle, S., 2013. New public management and citizens' perceptions of
14 local service efficiency, responsiveness, equity and effectiveness. *Public Management*
15 *Review*, 15(5), pp.762-783.
16
- 17
18 Araujo de Carvalho, I., Epping-Jordan, J., Pot, A.M., Kelley, E., Toro, N., Thiagarajan, J.A. et
19 al. 2017. Organizing integrated health-care services to meet older people's needs. *Bull*
20 *World Health Organ* 95:756–763.
21
- 22
23 Bleakley, A., Boyden, J., Hobbs, A., Walsh, L. and Allard, J. 2006. Improving teamwork climate
24 in operating theatres: the shift from multi-professionalism to inter-professionalism.
25 *Journal of interprofessional care*, 20(5), 461-470.
26
- 27 Braithwaite, J. Clay-Williams, R., Nugus, P., & Plumb, J. (2013). Health care as a complex
28 adaptive system. In Hollnagel, E., Braithwaite, J., & Wears, R. (Eds) *Resilient Health*
29 *Care*. Ashgate, Aldershot. 57-76
30
- 31
32 Braun, V., Clarke, V. 2006. Using thematic analysis in psychology. *Qualitative Research in*
33 *Psychology* 3, 77-101.
34
- 35 Burke, C.S., Stagl, K.C., Salas, E., Pierce, L. and Kendall, D., 2006. Understanding team
36 adaptation: A conceptual analysis and model. *Journal of Applied Psychology*, 91(6),
37 p.1189.
38
- 39
40 Christian, J.S., Christian, M.S., Pearsall, M.J. and Long, E.C., 2017. Team adaptation in context:
41 An integrated conceptual model and meta-analytic review. *Organizational Behavior and*
42 *Human Decision Processes*, 140, pp.62-89.
43
- 44 Cooper, S., Cant, R., Connell, C., Sims, L., Porter, J.E., Symmons, M., Nestel, D. and Liaw, S.Y.
45 2016. Measuring teamwork performance: Validity testing of the Team Emergency
46 Assessment Measure (TEAM) with clinical resuscitation teams. *Resuscitation*, 101,
47 pp.97-101.
48
- 49
50 Deville, J.C., 1991. A theory of quota surveys. *Survey Methodology*, 17(2), 163-181.
51
- 52 Diefenbach, T., 2009. New public management in public sector organizations: the dark sides of
53 managerialistic 'enlightenment'. *Public administration*, 87(4), pp.892-909.
54
- 55 Eisenberg, J., Post, C. and DiTomaso, N., 2019. Team Dispersion and Performance: The Role of
56 Team Communication and Transformational Leadership. *Small Group Research*,
57 p.1046496419827376.
58
- 59
60 Entin, E.E. Serfaty, D., 1999. Adaptive team coordination. *Human factors*, 41(2), pp.312-325.
61
62
63
64
65

- Fiore, S., Rosen, M., Smith-Jentsch, K., Salas, E., Legsky, M., Warner, N. 2010. Toward an understanding of macrocognition in teams: Predicting processes in complex collaborative contexts. *Human Factors*, 52, 203-224.
- Freeman, M., Miller, C., & Ross, N. 2009. The impact of individual philosophies of teamwork on multi-professional practice and the implications for education. *Journal of Interprofessional Care*, 14:3, 237-247.
- Ginsburg, L., Bain, L. 2017. The evaluation of a multifaceted intervention to promote “speaking up” and strengthen interprofessional teamwork climate perceptions. *Journal of Interprofessional Care*, 31(2), 207-217.
- Goodwin, N., Dixon, A., Anderson, G., Wodchis, WP. 2014. Providing integrated care for older people with complex needs: lessons from seven international case studies. London: The King’s Fund.
- Grote, G., Zala-Mezo, E., Grommes, P. 2004. The effects of different forms of co-ordination on coping with workload. In: Dietrich, R., Childress, T., (Eds.) *Group interaction in high risk environments*. Aldershot: Ashgate Publishing.
- Han, S.J., Lee, Y., Beyerlein, M. and Kolb, J., 2018. Shared leadership in teams: The role of coordination, goal commitment, and knowledge sharing on perceived team performance. *Team Performance Management: An International Journal*, 24(3/4), pp.150-168.
- Hignett, S., 2001. Embedding ergonomics in hospital culture: top- down and bottom-up strategies. *Applied Ergonomics* 32, 61 -69.
- Holden, R.J., Carayon, P., Gurses, A.P., Hoonakker, P., Hundt, A.S., Ozok, A.A. and Rivera-Rodriguez, A.J. 2013. SEIPS 2.0: a human factors framework for studying and improving the work of healthcare professionals and patients. *Ergonomics*, 56(11), 1669-1686.
- Hollnagel, E., Wears, R.L. and Braithwaite, J., 2015. From Safety-I to Safety-II: A white paper. The resilient health care net: published simultaneously by the University of Southern Denmark, University of Florida, USA, and Macquarie University, Australia.
- Institute of Medicine. Crossing the quality chasm: a new health system for the 21st century. Washington DC: National Academy Press, 1990, p244.
- Kalisch, B., Lee, H., Salas, E. 2010. The development and testing of the Nursing Teamwork Survey. *Nursing Research* 59, 42-50.
- Kalisch, B., Lee, K.H. (2013). Variations of nursing teamwork by hospital, patient unit, and staff characteristics, *Applied Nursing Research*, 26, 2-9.
- Kalisch, B., Weaver, S., Salas, E. 2009. What does nursing teamwork look like? A qualitative study. *Journal of Nursing Care Quality* 24, 298-307.
- Kodate, N., Ross, A., Anderson, J. E., & Flin, R. (2012). Non-Technical Skills (NTS) for enhancing patient safety: achievements and future directions. *Japanese Journal of Quality and Safety in Healthcare*, 7(4), 360-370.
- Kolbe, M., Burtscher, M., Manser, T., Kunzle, B., Grote, G. 2011. The role of coordination in preventing harm in healthcare groups: Research examples from anaesthesia and an

integrated model of coordination for action teams in health care. In: Boos, M. (Ed.)
Coordination in human and primate groups, Berlin: Springer-Verlag.

- Lartey, S., Cummings, G. and Profetto- McGrath, J. 2014. Interventions that promote retention of experienced registered nurses in health care settings: a systematic review. *Journal of nursing management*, 22(8), 1027-1041.
- Lemieux-Charles, L., & McGuire, W. L. 2006. What do we know about health care team effectiveness? A review of the literature. *Medical Care Research and Review*, 63, 263-300.
- Leon, D. A. (2011). Trends in European life expectancy: a salutary view. *International Journal of Epidemiology*, 40, 271-277.
- Leonard M, Graham S, Bonacum D. 2004. The human factor: the critical importance of effective teamwork and communication in providing safe care. *BMJ Quality & Safety*, 13:i85-i90
- Long, S. J., Brown, K. F., Ames, D., & Vincent, C. 2013. What is known about adverse events in older medical hospital inpatients? A systematic review of the literature. *International journal for quality in health care*, 25(5), 542-554.
- Maben, J., Griffiths, P., Penfold, C., Simon, M., Anderson, J. E., Robert, G., ... & Barlow, J. 2016. One size fits all? Mixed methods evaluation of the impact of 100% single-room accommodation on staff and patient experience, safety and costs. *BMJ Qual Saf*, 25(4), 241-256.
- Manser, T. 2009. Teamwork and patient safety in dynamic domains of healthcare: A review of the literature. *Acta Anaesthesiologia Scandinavica* 53, 143-151.
- McComb, S.A., Lemaster, M., Henneman, E.A., Hinchey, K.T. 2017. An evaluation of shared mental models and mutual trust on general medical units: Implications for collaboration, teamwork, and patient safety. *Journal of Patient Safety*, 13(4), 237–242.
- Nadzam, D.M. 2009. Nurses' role in communication and patient safety. *Journal of Nursing Care Quality*, 24(3), pp.184-188.
- Nagpal, K., Arora, S., Vats, A., Wong, H.W., Sevdalis, N., Vincent, C. and Moorthy, K. 2012. Failures in communication and information transfer across the surgical care pathway: interview study. *BMJ Qual Saf*, bmjqs-2012.
- NHS Digital 2017. Hospital admitted patient care activity 2016-17. Available online <https://files.digital.nhs.uk/pdf/0/8/hosp-epis-stat-admi-summ-rep-2016-17-rep.pdf>
- Nuffield Trust 2017. The NHS workforce in numbers. Facts on staffing and staff shortages in England. Published online. <https://www.nuffieldtrust.org.uk/resource/the-nhs-workforce-in-numbers>
- NVivo qualitative data analysis Software; QSR International Pty Ltd. Version 10, 2012.
- Paige, J.T., Fairbanks, R.J.T. and Gaba, D.M., 2018. Priorities related to improving healthcare safety through simulation. *Simulation in Healthcare*, 13(3S), pp.S41-S50.

- Robson, R. 2015. ECW in Complex Adaptive Systems. In Wears, R., Hollnagel, E., & Braithwaite, J. (Eds) Resilient Health Care Volume 2. The resilience of everyday clinical work. Ashgate, Aldershot.177-188.
- Rosen, M.A., Bedwell, W.L., Wildman, J.L., Fritzsche, B.A., Salas, E. and Burke, C.S. 2011. Managing adaptive performance in teams: Guiding principles and behavioral markers for measurement. *Human resource management review*, 21(2), 107-122.
- Rosen, K.R., 2008. The history of medical simulation. *Journal of critical care*, 23(2), pp.157-166.
- Ross, A.J., Anderson, J.E., Kodate, N., Thomas, L., Thompson, K., Thomas, B., Key, S., Jensen, H., Schiff, R., Jaye, P. 2012. Simulation training for improving compassionate care of older people: An independent evaluation of an innovative programme for inter-professional education. *BMJ Quality and Safety*. doi:10.1136/bmjqs-2012-000954
- Salas, E., Cooke, N. J., & Rosen, M. A. 2008. On teams, teamwork, and team performance: Discoveries and developments. *Human factors*, 50(3), 540-547.
- Salas, E., Shuffler, M.L., Thayer, A.L., Bedwell, W.L. and Lazzara, E.H. 2015. Understanding and improving teamwork in organizations: A scientifically based practical guide. *Human Resource Management*, 54(4), 599-622.
- Salas, E., Sims, D., Burke, C. 2005. Is there a “big five” in teamwork? *Small Group Research* 36, 555-599.
- Salas, E., DiazGranados, D., Klein, C., Burke, C.S., Stagl, K.C., Goodwin, G.F. and Halpin, S.M., 2008. Does team training improve team performance? A meta-analysis. *Human factors*, 50(6), pp.903-933.
- Sari AB, Cracknell A, Sheldon TA. 2008. Incidence, preventability and consequences of adverse events in older people: results of a retrospective case-note review. *Age Ageing*, 37(3):265-9.
- Smith, P., Haslam, S.A. and Nielsen, J.F., 2018. In Search of Identity Leadership: An ethnographic study of emergent influence in an interorganizational R&D team. *Organization Studies*, 39(10), pp.1425-1447.
- SNMAC. Standing Nursing and Midwifery Advisory Committee, 2001. Caring for older people: a nursing priority. DoH, London.
- Waterson, P., Griffiths, P., Stride, C., Murphy, J. Hignett, S. 2010. Psychometric properties of the Hospital Survey on Patient Safety Culture: findings from the UK Quality and Safety in Healthcare 19, 1-5.
- Wheelan, S.A., Burchill, C.N. and Tilin, F. 2003. The link between teamwork and patients’ outcomes in intensive care units. *American Journal of Critical Care*, 12(6), 527-534.